

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	818	703/2.ccor.	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L2	5	((("5548798") or ("5615288") or ("5867416") or ("6051027") or ("6064808")). PN.	US-PGPUB; USPAT	OR	OFF	2005/06/12 19:38
L3	63	703/5.ccor.	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L4	6691	basis adj function	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L5	1233	L4 and partition\$4	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L6	735	L5 and matrix	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L7	100	L6 and rank	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L8	35	L7 and composite	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L9	29	L8 and source	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L10	9	L9 and @ad<="20000110"	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L11	3564	far-field	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L12	20	malvar with wavelet	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L13	397	moment adj method	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L14	1407	moment near2 method	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L15	719	(L13 L14) and @ad<="20000110"	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L16	126	L15 and composite	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L17	9	L16 and rank	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L18	189	716/3.ccor.	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L19	555	345/473.ccor.	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38
L20	6	("6064808").URPN.	USPAT	OR	ON	2005/06/12 19:38
L21	2	("5664158"   "5748507").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/12 19:38
L22	302	703/13.ccor.	US-PGPUB; USPAT	OR	ON	2005/06/12 19:38

		Results
7.	((((pub-date > 1959 and pub-date < 2001 and FULL-TEXT(basis function) and FULL-TEXT(source)) and matrix) and rank) and partition!) and (transmit! or radiat!)) and angle) and composite [All Sources(- All Sciences -)]	7
6.	((((pub-date > 1959 and pub-date < 2001 and FULL-TEXT(basis function) and FULL-TEXT(source)) and matrix) and rank) and partition!) and (transmit! or radiat!)) and angle [All Sources(- All Sciences -)]	39
5.	(((pub-date > 1959 and pub-date < 2001 and FULL-TEXT(basis function) and FULL-TEXT(source)) and matrix) and rank) and partition!) and (transmit! or radiat!) [All Sources(- All Sciences -)]	53
4.	(((pub-date > 1959 and pub-date < 2001 and FULL-TEXT(basis function) and FULL-TEXT(source)) and matrix) and rank) and partition! [All Sources(- All Sciences -)]	112
3.	((pub-date > 1959 and pub-date < 2001 and FULL-TEXT(basis function) and FULL-TEXT(source)) and matrix) and rank [All Sources(- All Sciences -)]	331
2.	(pub-date > 1959 and pub-date < 2001 and FULL-TEXT(basis function) and FULL-TEXT(source)) and matrix [All Sources(- All Sciences -)]	3167
1.	pub-date > 1959 and pub-date < 2001 and FULL-TEXT(basis function) and FULL-TEXT(source) [All Sources(- All Sciences -)]	4439

Copyright © 2005 Elsevier B.V. All rights reserved.  
ScienceDirect® is a registered trademark of Elsevier B.V.

Find: [Documents](#)[Citations](#)

Searching for **basis function and partition and matrix and source**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

Order: **number of citations**.

[Learning-Based Vision and Its Application to Autonomous Indoor.. - Chen \(1998\)](#) (Correct)  
neural network while ROBIN relies on a radial **basis function** network (RBFN) Although current ANN-based  
for navigation tasks. 2) Nonparametric recursive **partitioning** regression, which is more flexible than  
[www.cps.msu.edu/~chenshao/papers/main.ps.gz](http://www.cps.msu.edu/~chenshao/papers/main.ps.gz)

**One or more of the query terms is very common - only partial results have been returned. Try [Google \(CiteSeer\)](#).**

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

Find: Searching for **basis function and matrix and composite**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

5 documents found. Order: number of citations.

[Growing Radial Basis Function Networks - Blanzieri, Katenkamp, GIORDANA \(1995\)](#) (Correct) (3 citations)Growing Radial **Basis Function** Networks E. Blanzieri P. Katenkampcomputing the coefficients of the pseudo-inverse **matrix** (Poggio and Girosi, 1990) The method is usually the output neuron combines the contributes of the **composite** functions computed in the second hidden layer.<ftp.di.unito.it/pub/articles/robotics/lrobot95.ps>.ZOne or more of the query terms is very common - only partial results have been returned. Try [Google \(CiteSeer\)](#).[Adaptive Time--Varying Parametric Modeling - Akan Chaparro Real--Time](#) (Correct)which are expandable in terms of a set of **basis functions**. The parameters can be found by posing a  $R$  is a  $p(q \times 1)$   $\Theta$   $p(q \times 1)$  block covariance **matrix**, we obtain after substituting (13) (16) in (11)seismic [3] and radar signals [4] Based on a **composite** model that considers non-stationarities in the [executioner.ee.pitt.edu/~akan/Papers/ica94pap.ps](http://executioner.ee.pitt.edu/~akan/Papers/ica94pap.ps).Z[Estimation of Human Signal Detection Performance From.. - Koska, Rosipal, König \(1997\)](#) (Correct)analysis regression (PCAR) and radial **basis function** (RBF) networks. 1 Introduction In many projection operator and a  $d \times 1$   $\Theta$   $d$  **matrix**, where  $d \times 1$   $d$ . In order to compare various mouse. Performance was measured as a linear **composite** of speed, accuracy, and confidence. A single [cis.paisley.ac.uk/staff/roci0/Papers/CMP96.ps](http://cis.paisley.ac.uk/staff/roci0/Papers/CMP96.ps).gz[Local Wavelet Attributes \(Amplitude, Phase and Scale\) for.. - Verhelst](#) (Correct)pursuit approach [9, 2] A wide set of **basis functions** can be chosen depending on the levees, crevasse splays, etc. embedded in a **matrix** of marsh /marine clay. Each facies-type shows (e.g. fluviomarine fans) A barrel shape is a **composite** of a bell shape over a funnel shape. top sand [www.wak.tn.tudelft.nl/~fre/articles/SEG98/SEG98.ps](http://www.wak.tn.tudelft.nl/~fre/articles/SEG98/SEG98.ps)Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: The ACM Digital Library The Guide

+composite, +partition, +rank, +"basis function"

**SEARCH**

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before February 2000

Terms used **composite partition rank basis function**

Found 6 of 104,250

Sort results  
by

relevance

Display results

condensed form

Save results to a Binder

Search Tips

Open results in a new window

Try an [Advanced Search](#)Try this search in [The ACM Guide](#)

Results 1 - 6 of 6

Relevance scale

**1** [Approximate computation of multidimensional aggregates of sparse data using wavelets](#)

Jeffrey Scott Vitter, Min Wang

June 1999

**ACM SIGMOD Record , Proceedings of the 1999 ACM SIGMOD international conference on Management of data, Volume 28 Issue 2**

Full text available: pdf(1.67 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)**2** [Simulation metamodels](#)

Russell R. Barton

December 1998

**Proceedings of the 30th conference on Winter simulation**

Full text available: pdf(79.38 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**3** [Technical reports](#)

SIGACT News Staff

January 1980

**ACM SIGACT News, Volume 12 Issue 1**

Full text available: pdf(5.28 MB)

Additional Information: [full citation](#)**4** [On the computational power of depth 2 circuits with threshold and modulo gates](#)

Matthias Krause, Pavel Pudlák

May 1994

**Proceedings of the twenty-sixth annual ACM symposium on Theory of computing**

Full text available: pdf(947.74 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**5** [Three-dimensional object recognition](#)

Paul J. Besl, Ramesh C. Jain

March 1985

**ACM Computing Surveys (CSUR), Volume 17 Issue 1**

Full text available: pdf(7.76 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)**6** [Graphical modeling and animation of brittle fracture](#)

James F. O'Brien, Jessica K. Hodgins

July 1999

**Proceedings of the 26th annual conference on Computer graphics and interactive techniques**

Full text available: pdf(1.64 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Results 1 - 6 of 6

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

 Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Sun, 12 Jun 2005, 7:35:54 PM EST

Edit an existing query or  
compose a new query in the  
Search Query Display.

Search Query Display

Select a search number (#)  
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

		Results
<a href="#">#1</a>	(partition*<and>matrix<and>rank<and>reduc*) <and> (pyr >= 1951 <and> pyr <= 2000)	2819
<a href="#">#2</a>	(basis function<and>composite<and>source) <and> (pyr >= 1951 <and> pyr <= 2000)	369
<a href="#">#3</a>	(weighting function<and>(tester<or>receiver<or>observer) <and>region) <and> (pyr >= 1951 <and> pyr <= 2000)	521
<a href="#">#4</a>	((partition*<and>matrix<and>rank<and>reduc*) <and> (pyr >= 1951 <and> pyr <= 2000)) <AND> ((basis function<and>composite<and>source) <and> (pyr >= 1951 <and> pyr <= 2000))	29
<a href="#">#5</a>	((((partition*<and>matrix<and>rank<and>reduc*) <and> (pyr >= 1951 <and> pyr <= 2000)) <AND> ((basis function<and>composite<and>source) <and> (pyr >= 1951 <and> pyr <= 2000))) <AND> ((weighting function<and>(tester<or>receiver<or>observer)<and>region) <and> (pyr >= 1951 <and> pyr <= 2000)))	3

Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved